Part Number: 173011

Issue Number: 001 Date: 12.2015



Page 1/6

Safety data sheet

ACCORDING TO 1907/2006/EC, ARTICLE 31

1 Chemical product and company identification

Product name: DEK PLASTIC METAL and GLASS CLEANER

Chemical Family: A blended compound of demineralized water alcoxypropanols and amine cleaning compounds.

Dek nan

Company name: DEK INTERNATIONAL, GmbH

Address: Geroldstrasse 28

PO Box 240 CH-8037 Zurich Switzerland

Telephone number +41 1 274 80 20 **Fax number** +41 1 274 80 22

Packaged by: Micro Care Corp., 34 Ronzo Rd., Bristol, CT,

06010, USA CAGE/FSCM: OATV9

Emergency Telephone: CHEMTREC (800) 424-9300

(Contd. on page 2)



Part Number: 173011

Date: 12.2015 Issue Number: 001

Page 2/6

2 Composition / information on ingredients

Material		
Chemical Name	Wt.%Range	TLV Units
Demineralized Water CAS #7732-18-5	80.0-95.0	None Assigned
Ethanol CAS # 64-17-5	5.0-8.0	1000 ppm
Ammonium Carbonate CAS # 10361-29-2	Trace	None Assigned
Ammonium Hydroxide	01.003.0	None Assigned

All components of this material are listed on the TSCA inventory.

3 Hazards indentification

CAS# 1336-21-6

Emergency Overview: Not Flammable. Colorless liquid with a slight

> ammonia/alcohol odor, Liquid will irritate eyes and skin under repeated or prolonged exposure.

Keep away from children.

Potential Health Effects:

Vapor contact: Mild irritant. Liquid contact: Will Eyes:

irritate eyes with possible corneal injury. Persons wearing contact lenses should wear chemical protective safety glasses when exposed to this

product.

For prolonged repeated contact: dry/chapped Skin:

skin.

Ingestion: Can cause depression of central nervous system,

nausea, stomach cramps, vomiting, and diarrhea.

Inhalation: At low concentration levels: may cause mild

> irritation to nose and throat. At high levels: headache, drowsiness and lassitude, loss of

appetite, inability to concentrate.

Medical Conditions Aggravated

by Exposure:

Preexisting disease of the heart, lungs, skin and

eyes.

Part Number: 173011

Issue Number: 001 Date: 12.2015



Page 3/6

4 First aid measures

Eyes: Immediately flush with water. Remove any

contact lenses and continue flushing for 15 minutes, lifting eyelids occasionally until no evidence of the chemical remains. If irritation

develops or persists call a physician.

Skin: Wash promptly with soap and water. Remove and

wash contaminated clothing and shoes before reuse.

Ingestion: If conscious, immediately give 2-4 glasses of water

and induce vomiting by touching finger to back of throat. Do not give stimulants. Never give anything by mouth to an unconscious person. Call a physician.

Inhalation: Remove to fresh air. Keep person calm. If not

breathing, give artificial respiration. If breathing is difficult, give oxygen. Do not give Epinephrine.

Call a physician.

Note to Attending Physician: There is no specific antidote to overexposure.

Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. Immediate medical attention for

acute overexposure is required.

5 Fire fighting measures

Flash Point:

Flammable Limits in Air:

Not Determined
Extinguishing Media:

Not Flammable.

Special Firefighting Procedures: Evacuate personnel. Wear self contained

breathing apparatus (SCBA) and full protective equipment. Keep containers cool. Containers are not pressurized with propellant, however, excessive heating may generate pressure within a closed container causing violent bursting and

dangerous propelling of container.

6 Accidental release measures

Spill or Leak: Evacuate area, absorb spilled liquid with

commercial, nonflammable absorbent i.e. sand, vermiculite. Remove unprotected personnel. Protected personnel should remove ignition sources and shut off fire sources. Provide ventilation. Shovel

(spark proof) absorbent material into drums and

close. Do not flush to sewer.

ASM Assembly Systems Switzerland GmbH Hardturmstrasse 105 8005 Zürich Switzerland

Tel: +41 44 274 80 20 Fax: +41 44 274 80 22

Email: sales@dek.com Website: www.dek.com



Part Number: 173011

Date: 12.2015 Issue Number: 001

Page 4/6

7 Handling & storage

Avoid breathing vapors or mist. Use only with adequate ventilation. Avoid repeated or prolonged contact with eyes, skin or clothing.

Wash thoroughly after handling. Do not store in direct sunlight. Store in cool dry place, away from heat.

8 Exposure controls / personal protection

Eye Protection: Use chemical protective safety glasses. **Protective Clothing:** Where there is potential for skin contact, use

appropriate impervious gloves, apron, pants and

jacket.

Exposure Guidelines: Applicable Exposure Limits.

Ethanol:

PEL (OSHA) 1000 ppm TWA TLV (ACGIH) 1000 ppm TWA

NFPA, NPCA-HIMIS RATING: Health 1

> Flammability 0 0 Reactivity

Personal Protection rating to be supplied by user depending on use conditions.

9 Physical & chemical properties

Physical Form: Clear colorless liquid

Odor: Characteristic ammonia/alcohol

99° C / 211° F **Boiling Point:** pH: Not Determined

Solubility in Water: Complete

9 @ 15° C / 60° F **Specific Gravity:**

% Volatile by Weight: 99.9

Vapor Pressure: Not determined

Vapor Density (air=1): 2

Part Number: 173011

Issue Number: 001 Date: 12.2015



Page 5/6

10 Stability & reactivity

Chemical Stability: Material is stable.

Hazardous Polymerization: Will not occur.

Incompatibilities: Avoid concentrated nitric and sulfuric acids, strong

oxidizers, aldehydes, acetyl chloride, halogens

and halogen compounds.

Decomposition Products:Burning may produce carbon monoxide and/or

carbon dioxide.

11 TOXOLOGICAL INFORMATION

Carcinogenicity: None of the components present in Plastic Metal

& Glass Cleaner are listed by IARC, NTP, OSHA

or ACGIH as a carcinogen.

12 Ecological information

This material is not expected to be toxic to aquatic life.

13 Disposal considerations

Waste Disposal: Treatment, storage, transportation, and disposal

must be in accordance with applicable Federal,

State/Provincial and Local regulations.

14 Transportation information

Transport for Plastic Metal & Glass Cleaner:

Ground Transport: Liquid Cleaning Compound N.O.S. Not

Hazardous, Not Regulated

Air Transport: Liquid Cleaning Compound N.O.S. Not

Hazardous, Not Regulated

Switzerland

Tel: +41 44 274 80 20 Fax: +41 44 274 80 22 Email: sales@dek.com Website: www.dek.com



Part Number: 173011

Issue Number: 001 Date: 12.2015

Page 6/6

15 Regulatory information

Section 313 Supplier Information: This material contains the following toxic

chemicals subject to the emergency reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of

1986 and 40 CFR 372:

CAS# Chemical Name % by Weight

64-17-5 Ethanol 08.0 %

This information must be included in all MSDSs that are copied and distributed for this material.

Title III Hazard Communications

Sections 311, 312 Acute

Chronic No Fire No Reactivity No

16 Other information

For additional information, contact DEK: Telephone (908) 782-4140, x266

or email: techsupport@microcare.com

No

Hardturmstrasse 105 8005 Zürich Switzerland

Tel: +41 44 274 80 20 Fax: +41 44 274 80 22 Email: sales@dek.com Website: www.dek.com